

# NEW PRODUCT HIGHLIGHTS

**DEWALT FLEXVOLT® 20V MAX\*/60V MAX\* 15.0 Ah BATTERY** 

**Q1** 2022

DEWALT

## NOW SHIPPING

**DCB615** 

• 15.0 Ah capacity for maximum runtime

 Compatible with 20V MAX\*, 60V MAX\* and 120V MAX\* tools and all 20V MAX\* chargers
 3-LED fuel gauge - state of charge indicator





- LED FUEL GAUGE: displays the battery's state-of-charge, helping the end user avoid unplanned work stoppage
- DURABLE: Includes non-marring rubber overmold that provides impact resistance while helping to protect finished surfaces
- 50% MORE POWER\*\* enabling broad application capabilities and fast performance with cordless tools
- \*\* Regarding 50% more power: vs. DCB203 battery, not in application.

OTHER SKUS:

DCBP034-2 20V MAX\* DEWALT POWERSTACK™ COMPACT BATTERY (1.7 Ah) (2PK)

DCBP034C 20V MAX\* STARTER KIT WITH DEWALT POWERSTACK™ COMPACT SATTERY AND CHARGER

## XTREME™ 12V MAX\* BRUSHLESS CORDLESS 5-IN-1 DRILL/DRIVER KIT DCD703F1

- ACCESS TIGHT SPACES with compact, lightweight design and 4 dedicated attachment solutions:
  Chuck: 3/8" Ratcheting, Offset Driver: w/ Drop-ii) CD805
  Quick Release Bit Holder, Straight Driver: w/ Drop-in
  Quick Release Bit Holder, Right Angle Driver:
  w/Internal Magnet. Also capable of accepting
  Drill Chuck, Offset and Straight heads
- BUILT FOR CONTROL AND CONSISTENCY:
  High speed transmission with 2 speed settings and 15 clutch settings
- OPTIMIZED PERFORMANCE AND RUNTIME:
  Brushless motor offers pro-grade efficiency





## 20v 60v

## 12V MAX\*/20V MAX\* CORDLESS HOOD LIGHT DCL045B

- COMPATIBILITY: Full system works with all 12V MAX\*, 20V MAX\*, and FLEXVOLT® Batteries
- BRIGHTNESS: Highest lumen output cordless hood light on market at 1500lm high setting
- VERSATILITY: Wider application set offering high & low output as well as an additional button for single arm control







## Tool Connect™ System CHIP DCE042

- IMPROVED ASSET MANAGEMENT: Works with Tool Connect™ System Site Manager enabling users to easily manage inventory and assets
- IDENTIFICATION LED: Built-in LED provides fast and accurate identification
- LONG LIFE REPLACEABLE BATTERY: Up to 2+ years of battery life and is user replaceable

OTHER SKUS:

DCE042-25 Tool Connect™ System CHIP (25PK)



## TOUGHSERIES™ TAPE MEASURES

- 17' Max Reach Straighter + Stronger to Withstand The Jobsite
- Double-Sided Print For Vertical & Overhead Measuring
- Ultra Tough Housing Survives a 100' Drop onto Packed Soil

DWHT36916S 16' DEWALT Tough Tape

DWHT36925S 25' DEWALT Tough Tape

DWHT36935S 35' DEWALT Tough Tape



## NOW SHIPPING

## 20V MAX\* BRUSHLESS CORDLESS QUICK CHANGE STUD & JOIST DRILL WITH POWER DETECT™

- CONTROL: E-Clutch® System shuts the tool down if necessary, in a bind up situation.
- TRACK AND LOCATE WITH Tool Connect™ System APP: Installing a DEWALT Tool Connect™ System Chip allows for monitoring and pinpointing of the drill location on the jobsite
- CONVENIENCE AND CAPACITY: Drill up to a 4" with a Hole Saw and a 2-9/16" with a Self-Feed Bit

20V MAX\* XR® Brushless Cordless 7/16" Quick Change Stud & Joist Drill with POWER DETECT™ (Tool Only) DCD443B

20V MAX\* Brushless Cordless 1/2" Compact Stud & Joist Drill with FLEXVOLT ADVANTAGE™ (Tool Only) DCD444R

DCD445B 20V MAX\* Brushless Cordless 7/16" Quick Change Stud & Joist Drill with FLEXVOLT ADVANTAGE™ (Tool Only)

20V MAX\* Brushless Cordless 7/16" Quick Change Stud & Joist Drill with FLEXVOLT ADVANTAGE™ (Kit) DCD445X1



## **ELITE SERIES: CIRCULAR SAW BLADES DEWALT** • DESIGNED FOR DURABILITY: Proprietary Welded Carbide Tips BUILT FOR LONG LIFE: Aggressive Multi-tooth Design • EFFORTLESS, SMOOTH CUTS: Patented Heat Vents for Cool Cuts DWAW71424 7-1/4" 24T Elite Series Saw Blade 7-1/4" 24T Elite Series (3 PK) DWAW714243PK DWAW71424B10 7-1/4" 24T Elite Series (10 PK) 6-1/2" 24T Elite Series Saw Blad DWAW61224 DWAW61240 6-1/2" 40T Elite Series Saw Blade DWAW71440 7-1/4" 40T Elite Series Saw Blad DWAW71460 DE CHARPENTE

### 60V MAX\* 7" BRUSHLESS CORDLESS GRINDER POWERED BY FLEXVOLT® (9.0 Ah) (2 BATTERY KIT) DCG440X2

- Designed to power through heavy-duty grinding jobs with ease, the new 60V MAX\* Brushless Cordless 7" FLEXVOLT® Grinder with Kickback Brake™ delivers 30 % more torque than the DCG418 60V MAX\* FLEXVOLT® Grinder\*\* and up to 2,300 max watts output
- Featuring a 7" grinding capacity and a no-load speed of 6,500 rpm, the grinder is ideal for wire brushing as well as general grinding and cutting during metal and concrete applications.
- Built with user protection top of mind, the grinder is part of the DEWALT PERFORM & PROTECT™ line of tools



CG440 using DCB609 has 30% more torque when compared to DCG418 using DCB609

E-CLUTCH

KICKBACK BRAKE

60V FLEX

DEWALT

OTHER SKUS:

DCG440B 60V MAX\* 7" Cordless Grinder Powered by FLEXVOLT® (Tool Only)

### **ELITE SERIES: ABRASIVES**

SKU	DIA.	ARBOR	THICK.	TYPE	MAX rpm	PK
DWA8950F	4"	5/8"	.045"	1	15,300	25
DWA8951F	4-1/2"	7/8"	.045"		13,300	25
DWA8951H	4-1/2"	5/8"-11	.045"	1	13,300	10
DWA8952F		7/8"	.045"		12,250	25
DWA8953F	6"	7/8"	.045"	1	10,200	25
DWA8953H	6"	5/8"-11	.045"	1	10,200	10
DWA8954F	7"	7/8"	.045"	1	8,500	25
DWA8956F	4"	5/8"	.045"	27	15,300	25
DWA8957F	4-1/2"	7/8"	.045"	27	13,300	25
DWA8957H	4-1/2"	5/8"-11	.045"	27	13,300	10
DWA8958F	5"	7/8"	.045"	27	12,250	25
DWA8959F	6"	7/8"	.045"	27	10,200	25
DWA8959H	6"	5/8"-11	.045"	27	10,200	10
DWA8960F	7"	7/8"	.045"	27	8,500	25
SKU	DIA.	ARBOR	THICK.	TYPE	MAX rpm	PK
DW8904C0MB0	4-1/2 "	7/8 "	3/32 "	27	13,300	25
DW8905COMBOH	4-1/2 "	5/8 "-11	3/32 "	27	13,300	10
DW8910COMBO	5 "	7/8 "	3/32 "	27	12,250	25
DW8911COMBOH		5/8 "-11	3/32 "	27	12,250	10

- UP TO 2.5X LIFE VS. NORTON & 3M\* Use fewer wheels in extreme applications with a PRESSURE PACT™ design that cuts more metal. High tech grains are packed tightly under intense heat and pressure, removing air to get more cutting edges in less space
- FAST CUTS IN DEMANDING APPLICATIONS Cut through a wide range of metals with a sharp, crystalline grain structure.
- SMOOTH, POWERFUL CUTTING Cut smooth with small, razor sharp grains designed to power through metal



- CUT, GRIND, AND NOTCH WITH ONE WHEEL Increase productivity with a 3-in-1 reinforced design
- 50% LONGER LIFE\*\* AND HIGH MATERIAL REMOVAL RATE Get more done in less time with premium grains engineered with sharp crystalline structure.
- EXTREME VERSATILITY Enables fast cutting and light grinding in a wide range of metals, including stainless and high strength alloy

## COMING SOON...

### 20V MAX\* XR® BRUSHLESS CORDLESS WIRE MESH CABLE TRAY CUTTER (2.0 Ah) DCE158D1

- CUTTING CAPACITY: Able to cut 1/4" (6 mm) carbon steel & stainless steel wire mesh cable tray with clean, blunted cuts
- AUTO-STOP & RETURN: Blade automatically returns after each cut for ease of use
- 360 DEGREE ROTATING DETENTED HEAD: Allows user to cut in multiple cutting orientations











OTHER SKUS: DCE1581 Replacement Die

## 20V MAX\* XR® BRUSHLESS CORDLESS 3" CUT-OFF TOOL (Tool Only) DCS438B

- 20V MAX\* BRUSHLESS MOTOR: Provides power to cut through a variety of materials with 0.8" cut depth.
- 3/8" ARBOR 3" WHEELS INCLUDED: Includes Bonded Abrasive Wheel, Diamond<sup>†</sup> Multi-Material Wheel, and Diamond<sup>†</sup> Tile Wheel
- Lanyard Ready<sup>™</sup> SYSTEM CAPABLE: Compatible with Lanyard Ready<sup>™</sup> System (lanyard attachment feature sold separately at a DEWALT service center) for working at height.















### 3" BONDED CUTTING WHEEL (3 PK) DW8711P3

- AGGRESSIVE CUTTING ACTION: Make fast cuts with a thin wheel design and heavy-duty, aluminum oxide grain for long life
- . EXTREMELY VERSATILE: Efficiently cuts carbon and stainless bar stock, tubes, pipe and plate
- . DURABLE BY DESIGN™: Built with two sheets of fiberglass for wheel strength. Designed to reduce wheel breakage.



### 3" CONTINUOUS HP™ TILE DW47350

- LONG LIFE CUTTING TILE: Engineered to last long in a variety of tiles including ceramic, porcelain and granite/marble/stone
- FAST CUTS WITH A CLEAN FINISH: Minimize tile chipping with a continuous diamond† rim design
- SMOOTH, STRAIGHT CUTS: Get straight cuts with a high-strength



## 3" DIAMOND MULTI-MATERIAL BLADE DW8530

- LONG LIFE: 1,000+ CUTS\*\*: Diamond† technology provides extreme durability in metal cutting applications, leading to fewer wheel changes when compared to thin bonded cut-off wheels.
- ONE WHEEL, MULTIPLE MATERIALS: Recommended for multiple types of materials including metal, drywall, fiber cement, plastic and fiberglass.
- PRECISION AND REACH: Designed to maintain a consistent cutting depth through the duration of its life, unlike a bonded abrasive wheel



## COMING SOON...

### 20V MAX\* XR® COMPACT DRILL/DRIVER

- ACCESS HARD TO REACH WORK AREAS: Compact 6.37" size is 1/2" shorter in length\*\*\* compared to the DCD791/DCD796, tool head only
- PRO-LEVEL SPEED, CONTROL, AND PRECISION: High-speed transmission with variable trigger and 2-speed settings (0-650/0-2,000 rpm)
- BRIGHTEN DARK WORK AREAS: Adjustable, 3-position 70 Lumens LED with 3 modes including LED spotlight mode which features a 20-minute shutoff function for extended work time in low-light spaces



DCD800B	20V MAX* XR® Compact Drill/Driver (Tool Only)
DCD800D2	20V MAX* XR® Compact Drill/Driver (2 Battery Kit)
DCD800P1	20V MAX* XR® Compact Drill/Driver (1 Battery Kit)
DCD800D1E1	20V MAX* XR® Compact Drill/Driver (2 Battery Kit)
DCD800E2	20V MAX* XR® Compact Drill/Driver (2 Battery Kit)



### 20V MAX\* XR® PREMIUM COMPACT HAMMERDRILL DCD805D2

- ACCESS HARD TO REACH WORK AREAS: Compact 7" size is 1/2" shorter in length\*\*\* compared to the DCD796, tool head only
- PRO-LEVEL SPEED, CONTROL, AND PRECISION: High-speed transmission with variable trigger and 2 speed settings (0-650/0-2,000 rpm)
- COMPLETE CHALLENGING PROJECTS with up to 40% more UWO\*\* vs. the DCD791/DCD796 using DCB205 battery/DCBP034 DEWALT POWERSTACK\*\* battery (sold separately)













## OTHER SKUS:

DCD805B 20V MAX\* XR® Premium Compact Hammerdrill (Tool Only)



The DEWALT PERFORM & PROTECTTM line of Power Tools is designed to provide a high level of one or more of the following: control, dust containment, or low vibration, without sacrificing performance.